

INDEX.

[Synonyms and native names are printed in italics. A star is added to names which appear to be used here for the first time.]

- Abramis, 595.
brama, 549.
- Acanthopterygii, 530, 560, 569, 593, 597.
- Acanthoscelio, *Ashm.*, 218.
- Acarina, 39.
- Acerota, *Förster*, 233.
confusa, *Ashm.**, 233.
- Acipenser, 536-538, 585.
sturio, 534.
- Acipenseridæ, 530, 534.
- Acoloides, *Howard*, 214.
fascipennis, *Ashm.**, 214.
ochraceus, *Ashm.**, 214, 215.
subfuscus, *Ashm.**, 214, 215.
- Acrocormus, *Förster*, 155.
megastigmus, *Ashm.**, 155.
- Acroperus, 2.
- Acrydium, *Geoffr.*, 281.
peregrinum, *Oliv.*, 281.
tataricum, 281.
- Ademon, *Hal.*, 133.
- Adesmia acervata, *Klug*, 290.
assimilis, *Gahan**, 290.
austera, *Baudi*, 290.
cancellata, *Klug*, var., 289.
interrupta, *Klug*, 289.
lacunosa, *Klug*, 289.
tuberculifera, *Gahan**, 289.
- Æluroides, dentition of, 461, 462, 463.
- Ænasia, *Walk.*, 60, 88.
hyettus, *Walk.*, 60, 89.
- Æschna, 413; rectal gills of, 413.
- Agathidinae, 58, 128.
- Agathis, *Latr.*, 128.
pectoralis, *Ashm.**, 129.
rubricinctus, *Ashm.**, 128.
- Agenia, *Schödte*, 429.
- Aglaotoma, *Förster*, 63, 66.
basalis, *Ashm.**, 63, 64, 65.
longicornis, *Ashm.**, 63, 65.
pallida, *Ashm.**, 63, 64.
variabilis, *Ashm.**, 63, 64, 65.
- Allman, Prof. G. J., Note on the Formation of the Epiphragm of *Helix aspersa*, 517-520.
- Alysia, *Latr.*, 58.
nalis, *Cr.*, 58.
- Alysidium Lafontii, footnote 267.
- Alysiinae, 58, 137.
- Amauris, 347.
dominicanus, 343, 345, 348.
echeria, 343, 345.
egiælea, 343, 348.
- Amblyaspis, *Förster*, 233, 234.
nigricornis, *Ashm.**, 234.
triangularis, *Ashm.**, 233.
verticillatus, *Ashm.**, 234, 235.
xanthopus, *Ashm.**, 234, 236.
- Amia, 52, 53, 538, 544, 545, 587, 588, 590, 591, 595, 596.
calva, 537.
- Amiidæ, 530, 537.
- Amiurus, 553, 554, 555, 590.
catus, 550, 554.
- Amphipnous, 53, 54.
chuchia, 54.
- Amphitherium, 474.
Prevostii, 474, 477.
- Anacanthini, 530, 558, 592.
- Anarrichas, 575, 595.
lupus, footnote 572, 573, 602.
- Anderson, Dr. John, Scorpions obtained in Egypt and the Soudan by (R. I. Pocock), 299.
- Androctonidæ, 303.
- Androctonus, 303.
macrocentrus, Hempr. & Ehrenb., 300.
thebanus, Hempr. & Ehrenb., 300.
(Leirus) *leptochelys*, Hempr. & Ehrenb., 299.
(—) *quinquestriatus*, Hempr. & Ehrenb., 299.
- Anectclis, sp., read *Anectoclis rufipes*, *How.*, 77, 254.
- Anectoclis, *Förster*, 77.
rufipes, *How.**, 77, 254.

- Anepisceptus horridus*, *Burm.*, 280, 282.
Anguilla, 588.
 anguilla, 545.
Anilocera, 338.
Anisolabis, *Fieber*, 521, 525.
 littorea, *White*, 526.
 occidentalis, *Kirby* *, 525, 529.
Anopodias, *Förster*, 239.
 conica, *Ashm.* *, 239.
 error, *Fitch*, 240.
Anozus, *Förster*, 179.
Ant, *Umbrella*, 406.
Anteris, *Förster*, 217, 227.
 rufipes, *Ashm.* *, 227.
Anthia duodecimguttata, *Bon.*, 286.
Antrocephalus, *Kirby*, 59, 81.
 punctigerus, *Fabr.*, 59, 81.
Ants, On a remarkable use of, in Asia Minor, by R. Morton Middleton, Jr., 405.
Aortic-Arch System of Saccobranchus fossilis, by R. H. Burne, 48-55.
Apachys, *Serv.*, 521, 522.
 Beccarii, *Dubrony*, 522.
 Pascoei, *Kirby* *, 521, 529.
Apepus, *Förster*, 217.
Aphænogaster barbara, *Linn.*, 280, 283.
Aphelininæ, &c., of the Island of St. Vincent, Report on the (L. O. Howard), 56, 79, 97.
Aphidiinæ, 137.
Apiopterina Orbignii, *Zborzewski*, 515.
Apterygida Erichsoni, *Dohrn*, 529.
Arachnida and Myriopoda of Bent's Expedition to the Hadramaut, South Arabia, by R. I. Pocock, 292-297.
Aranæ (Spiders), 296.
Araneidæ, 38.
Arctoidea, dentition of, 461, 462, 463.
Arthrodira, 585.
Aseirba, *Cam.*, 86, 87.
Asellus, 32.
Ashmead, W. H., Report on the Parasitic Cynipidæ, part of the Braconidæ, the Ichneumonidæ, the Proctotrypidæ, and part of the Chalcididæ, of the Island of St. Vincent, Part I. 61; Part II. 108; Part III. 188.
 —, Report upon the Parasitic Hymenoptera of the Island of St. Vincent, see *Riley*, C. V., 56-254.
Ashmeadia, *How.*, 61, 143, 146.
 abnormicornis, *Ashm.* *, 143, 145.
 insularis, *Ashm.* *, 143, 144.
 megastigma, *Ashm.* *, 144, 145.
 pallidipes, *Ashm.* *, 144.
 pulchra, *Ashm.* *, 144, 145.
Aspicera bifoveolata, *Cr.*, 58, 78.
 rufipes, *Cr.*, 78.
Aspongopus viduatus, *Fabr.*, 280, 283.
Astrophorhizidæ, On a new Genus of Foraminifera of the Family, by A. Vaughan Jennings, 320-321.
Atta, *Fabr.*, 406.
 cephalotes, *Linn.*, 406. -
Atypus, 44.
Aulostoma, 576, 593.
 chinense, 576, fnote 587.
Aulostomella dorsigera, *Costa*, 515.
 pediculus, *Alth.*, 510.
Azemiope *Feæ*, *Boul.*, 121.

Bacillus ægyptiacus, *Westw.*, 281.
Bacteria ægyptiaca, *Gray*, 281.
Bæoneura, *Förster*, 217.
Balistes, 580, 594.
 capriceus, 578, 579, 602.
 vetula, 578.
Barbus, 588, 592, 596, 597.
 vulgaris, 547, 589, 601.
Baryconus, *Förster*, 216.
Baryscapus, *Förster*, 182.
Bent's Expedition to the Hadramaut, South Arabia, Reports on, 279-299.
Bephrata, *Cam.*, 146.
 cultriformis, *Ashm.* *, 146.
Bernard, H. M., On the Spinning-Glands in *Phrynus*; with an Account of the so-called "Penis" and of the Morphology of the Operculum, 272-278.
Berycidæ, 530, 560, 592, 593, 598, 599.
Beryx decadactylus, *Cuv. & Val.*, fnote 531, 563.
Bethylinæ, 188, 192.
Bingham, Lt.-Col. C. T., On some Exotic Fossorial Hymenoptera in the Collection of the British Museum, with Descriptions of New Species and of a New Genus of the Pompilidæ, 422-445.
Blacinæ, 131.
Blacus, *Nees*, 131.
 rubriceps, *Ashm.* *, 131.
Blastophaginæ, 59.
Blatta germanica, fnote 411.
Blattidæ, 279, 281.
Blenniidæ, 530, 573, 593, 596, 598.
Bolina, 339.
Bosmina, 2, 4.
Botellina, 320.
 labyrinthica, *Brady*, 320, 321.
Brachycerus sp., 290.
Brachylabis, 521.
Brachylaimus, 323.
Bracon, *Fabr.*, 108.
 femoratus, *Ashm.* *, 109, 112.
 flavomaculatus, *Ashm.* *, 109, 111.
 maculiceps, *Ashm.* *, 109, 111.

- Bracon niger*, *Ashm.* *, 109.
Sancti-Vincenti, *Ashm.* *, 109, 112.
seminiger, *Ashm.* *, 109, 110.
vulgaris, *Ashm.* *, 109, 112.
xanthospilus, *Ashm.* *, 109, 110.
 Braconidæ, Report on, of the Island of St. Vincent (W. H. Ashmead), 108-138.
 Braconinæ, 108.
 Bridge, Prof. T. W., The Mesial Fins of Ganoids and Teleosts, 530-602.
 Bryozoa, On Mediterranean and New-Zealand Reteporæ and a Fenestrate, by A. W. Waters, 255-271.
Bugula reticulata, 267.
 Buprestidæ, 287.
 Burne, R. H., On the Aortic-Arch System of *Saccobranchus fossilis*, 48-55.
Butheolus, 316.
 thalassinus, *Sim.*, 295, 316.
 Buthidæ, 303.
Buthus, 307.
 acute-carinatus, *Simon*, 292, 300, 316.
 alticola, *Pocock* *, 302, 315.
 anthracinus, *Pocock* *, 294, 295, 315.
 arenicola, *Sim.*, 300.
 Benti, 316.
 dimidiatus, *Simon*, 292, 293, 294, 300-302, 316.
 europæus, *Linn.*, 299.
 Jayakari, *Pocock* *, 300, 315.
 judaicus, 302.
 leptochelys, *Hempr. & Ehrenb.*, 299, 300, 307.
 quinquestriatus, *Hempr. & Ehrenb.*, 292, 299.
 scaber, *Hempr. & Ehrenb.*, 293.
 villosus, *Simon*, 311.
 Butler, A. G., An Account of the Butterflies of the Genus *Charaxes* in the Collection of the British Museum, 348-404.
 Caberia, 263.
Cacus, *Riley*, 217, 226.
 insularis, *Ashm.* *, 226, 227.
 laticinctus, *Ashm.* *, 226, 227.
 Callichthys, 55.
Calliplœa Hopfferi, *Felder*, 342.
Calliscelio, *Ashm.*, 216, 223.
 laticinctus, *Ashm.* *, 223.
Caloteleia, *Westw.*, 216, 218.
 ænea, *Ashm.* *, 218, 219.
 elongata, *Ashm.* *, 218, 219.
 maculipennis, *Ashm.* *, 218, 221.
 ocularis, *Ashm.* *, 218, 220.
Caloteleia punctata, *Ashm.* *, 218, 221.
 puncticeps, *Ashm.* *, 218, 219.
Calyostichus, *Mayr.*, 152.
 auratus, *Ashm.* *, 152.
 Calyptinæ, 131.
Calyptus, *Haliday*, 131.
 thoracicus, *Ashm.* *, 131.
Camponotus, 405.
Campoplex, *Grav.*, 139.
 meridionalis, *Ashm.* *, 139.
 Canidæ, On the Tooth-genesis in the, by Dr. H. W. Marett Tims, 445-480.
Canis anthus, 467, 468; dentition of, 467, 468.
 areus, 454; dentition of, 467.
 Azaræ, 467; dentition of, 467.
 cancerivorus, 467; dentition of, 467.
 familiaris, 447, 453; dentition of, 447-455.
 lagopus, 468; dentition of, 468.
 littoralis, 468; dentition of, 468.
 magellanicus, 467; dentition of, 467.
 niloticus, 468; dentition of, 468.
 virginianus, *Mivart*, 468; dentition of, 468.
Canthocamptus, 18.
 minutus, *O. F. M.*, 18.
 Carabidæ, 286.
 Carangidæ, 530, 569, 593, 598.
Caranx, 569, 595, 598.
 georgianus, 569.
Carassius auratus, 589.
Carnivora, dentition of, 459; variation of teeth of, 461.
Carpenteria, 317-319.
 rhapsidodendron, *Möb.*, 317.
Catharsius inermis, *Casteln.*, 287.
Catolaccus, *Thomson*, 60, 163.
 helice, *Walk.*, 60, 163.
 pallipes, *Ashm.* *, 163.
 vulgaris, *Ashm.* *, 163, 164.
 Cellepora, 499.
 Cellulariidæ, fnote 267.
Cephalomyia maculata, *Wiedem.*, 280, 285.
 Cerambycidæ, 291.
Ceraninus, *Walk.*, 182.
Ceraphron, *Jurine*, 198.
 fummipennis [*read fumipennis*], *Ashm.* *, 198, 199, 200.
 meridionalis, *Ashm.* *, 199, 200.
 Sancti-Vincenti, *Ashm.* *, 198, 199.
 solitarius, *Ashm.* *, 199, 200.
 Ceraphroninæ, 198.
Ceratacis, *Thoms.*, 236.
Ceratodus, 51.
Ceratoneura, *Ashm.* *, 178.
 pallida, *Ashm.* *, 179.
 petiolata, *Ashm.* *, 179.

- Cerchysius, *Westw.*, 86, 87.
 pulchricornis, *How.* *, 87.
 terebratus, *How.* *, 87, 88.
 urocerus, *Dalm.*, 86.
- Ceriodaphnia, 2.
- Ceropales, *Latr.*, 425, 430.
 pernix, *Bingh.* *, 425.
- Cestracion francisci, *Girard*, 325.
 galeatus, *Günther*, 325, 326, 327,
 328, 329.
 japonicus, *Macleay*, 325.
 Philippi, *Schneider*, 326, 327, 328,
 329.
 zebra, *Gray*, 325.
- Cetonia (Pachnoda) histrio, *Fabr.*, 287.
- Chalcididæ, Report on, of the Island of
 St. Vincent (W. H. Ashmead), 143-188.
- , of the Subfamilies Chalcidinae, &c.
 of the Island of St. Vincent, Report
 on the (L. O. Howard), 79-108.
- Chalcidinae, &c., of the Island of St.
 Vincent, Report on (L. O. Howard),
 79-108.
- Chalcis, *Fabr.*, 59.
 annulatus, *Fabr.*, 59, 80.
 fasciata, *Oliv.*, 79.
 punctigera, *Fabr.*, 81, 82.
- Chalcura, *Kirby*, 85.
 americana, *How.* *, 85.
- Chanos salmonæus, 53.
- Chapman, F., and T. Rupert Jones, On
 the Fistulose Polymorphinæ and on
 the Genus *Ramulina*, 496-516.
- Characinidæ, 530, 556, 590.
- Charaxes, An Account of the Butterflies
 of the Genus, in the Collection of the
 British Museum, by A. G. Butler,
 348-404.
- Charaxes achæmenes, *Felder*, 356.
 affinis, *Butler*, 391, 396, 397.
 —, var. demonax, *Felder*, 396.
 agabo, *Distant*, 371.
 agna, *Moore*, 390.
 agrarius, *Swinh.*, 382.
 albanus, *Röber*, 385.
 alladinis, *Butler*, 358, 360, 361.
 alladinis, *Dewitz*, 362.
 alphius, *Staud.*, 384.
 Ameliæ, *Doumet*, 374.
 amycus, *Felder*, 397.
 analava, *Ward*, 369.
 andara, *Ward*, 351.
 andranodorus, *Mabille*, 351.
 —, var. zoippus, *Mabille*, 351.
 andriba, *Ward*, 369.
 antamboulou, *Lucas*, 368.
 anticlea, *Drury*, 364.
 Antonius, *Semper*, 389.
 argynnides, *Westw.*, 371.
 aristogiton, *Felder*, 397.
- Charaxes arja, *Felder*, 384.
 aruanus, *Butler*, 397.
 athamas, *Drury*, 382, 383, 384, 386.
 —, var. attalus, *Felder*, 383, 384.
 —, var. samatha, *Moore*, 383,
 384.
 attalus, *Felder*, 383.
 attila, *H. Grose Smith*, 387.
 azota, *Hewits.*, 365.
 Balfouri, *Butler*, 348, 400.
 Baumanni, *Rogenh.*, 362, 363.
 baya, *Moore*, 391, 396.
 bayula, *Staud. in litt.*, 391.
 Bernardus, *Fabr.*, 392, 393.
 betanimena, *Lucas*, 369, 370.
 betimisera, *Lucas*, 370, 371.
 bharata, *Felder*, 382.
 bipunctatus, *Rothsch.*, 378.
 Bohemani, *Felder*, 378.
 borneensis, *Butler*, 394.
 Boueti, *Feisth.*, 367.
 brennus, *Felder*, 397.
 brutus, *Cramer*, 350.
 bupalus, *Staud.*, 394.
 cacuthis, *Hewits.*, 399.
 calliclea, *H. Grose Smith*, 365.
 candiope, *Godart*, 365, 367, 368.
 caphontis, *Hewits.*, 388.
 Carteri, *Butler*, 361.
 castor, *Cramer*, 353.
 —, var. flavifasciatus, *Butler*, 353.
 cedreatis, *Hewits.*, 361.
 chiron, *Staud.*, 359.
 cimon, *Felder*, 395, 396.
 cimonides, *Rothsch.*, 395.
 cinadon, *Hewits.*, 351.
 cithæron, *Felder*, 375.
 clitarchus, *Hewits.*, 388.
 clitiphron, *Oberth.*, 381.
 cognatus, *Vollenh.*, 386.
 concha, *Vollenh.*, 379.
 coniger, *Butler* *, 403.
 corax, *Felder*, 391.
 Cowani, *Butler*, 368.
 cynthia, *Butler*, 366.
 decus, *Cramer*, 403.
 delphis, *Doubl.*, 379.
 desa, *Moore*, 397.
 Dewitzi, *Butler*, 360, 362, 363.
 Distanti, *Hoar.*, 398.
 dolon, *Westw.*, 379.
 Druceanus, *Butler*, 351.
 Durnfordi, *Distant*, 349, 389,
 echo, *Butler*, 357.
 Ehmcke, *Dewitz*, 369, 370.
 ephyra, *Godart*, 357, 359, 361, 363.
 epigenes, *Godm. & Salv.*, 388.
 epijasius, *Reiche*, 355.
 etesipe, *Godart*, 366, 399.
 ethalion, *Boisd.*, 357, 360, 362, 363.

- Charaxes ethalion, var. Baumanni,
 Rogenh., 362.
 etheocles, *Cramer*, 358, 362.
 eudamippus, *Doubl.*, 380.
 —, var. mandarinus, *Felder*, 381.
 —, var. thibetanus, *Oberth.*, 381.
 eudoxus, *Fabr.*, 349, 352.
 eupale, *Drury*, 378.
 euryalus, *Cramer*, 399.
 Everetti, *Rothsch.*, 349, 389.
 fabius, *Fabr.*, 356.
 falcata, *Butler*, 402.
 fallax, *Röber*, 385.
 —, var. javanus, *Röber*, 385.
 fervens, *Butler**, 396.
 flavifasciatus, *Butler*, 353, 354.
 Fruhstorferi, *Röber*, 383.
 fulvescens, *Auriv.*, 401.
 gabonica, *Crowley*, 381.
 galaxia, *Butler*, 387.
 ganymedes, *Staud.*, 385, 386.
ganymedes, *Leech*, 380.
 georgius, *Staud.*, 391.
 gilolensis, *Butler*, 387.
 Guderiana, *Dewitz*, 358.
 hadrianus, *Ward*, 381.
 hamasta, *Moore*, 382.
 hamatus, *Dewitz*, 372.
 hannibal, *Butler*, 357.
 Hansalii, *Felder*, 353.
 harmodius, *Felder*, 398.
 harpagon, *Staud.*, 398.
 harpax, *Felder*, 390.
 hebe, *Butler*, 382, 385.
 —, var. ganymedes, *Staud.*, 385.
 hemana, *Butler*, 391.
 heracles, *Röber*, 385.
 hierax, *Felder*, 390.
 Hildebrandti, *Dewitz*, 363.
 hindia, *Butler*, 393.
 hipponax, *Felder*, 393.
 —, var. hindia, *Butler*, 393.
 —, var. jalinder, *Butler*, 393.
 Hollandi, *Butler*, 362.
 homerus, *Staud.*, 371.
 Homeyeri, *Dewitz*, 370.
 inna, *Butler*, 390.
 imperialis, *Butler*, 374.
 jahlusa, *Trimen*, 371, 372.
 jalinder, *Butler*, 393.
 jalysus, *Felder*, 382.
 jason, *Linn.*, 355.
 javanus, *Röber*, 385.
 jocaste, *Boisd. MS.*, 356.
 jupiter, *Butler*, 387.
 —, var. attila, *H. Grose Smith*,
 387.
kaba, *Kheil*, 385.
 Kadenii, *Felder*, 386.
 Kahldeni, *Dewitz*, 370.
- Charaxes kahruba, *Moore*, 398.
 khasianus, *Butler*, 394.
 khimalara, *Butler*, 394, 395.
 Kirkii, *Butler*, 358.
 lactetinctus, *Karsch*, 349, 365.
 lampedo, *Hübner*, 356, 357.
 laodice, *Drury*, 372, 373.
 Lasti, *H. Grose Smith*, 367.
 latona, *Butler*, 396, 397.
 Layardi, *Butler**, 395, 396.
 leoninus, *Butler*, 372.
 lichas, *Doubled.*, 401.
 lucretius, *Cramer*, 365, 366.
lunawara, *Butler*, 397.
lysianassa, *Westw.*, 366.
 Macclounii, *Butler*, 367.
 mandarinus, *Felder*, 380, 381.
 manica, *Trimen*, 360.
 — ephyra, *Dewitz*, 360.
 marmax, *Westw.*, 395, 397, 398.
 mars, *Staud.*, 396.
 menedemus, *Oberth.*, 381.
 midas, *Staud.*, 372.
 mixtus, *Rothsch.*, 377.
 Monteiroi, *Staud.*, 376.
 Moorei, *Distant*, 385.
 mycerina, *Godart*, 372, 373, 375.
 narcaeus, *Hewits.*, 380, 381.
 nauseica, *Staud.*, 373.
 neanthes, *Hewits.*, 369, 370.
 nepenthes, *H. Grose Smith*, 380.
 nesæa, *H. Grose Smith*, 375.
 niasicus, *Butler*, 386.
 nichetes, *H. Grose Smith*, 372.
 Nicholii, *H. Grose Smith*, 389.
 nigrescens, *Butler**, 401.
 nitebis, *Hewits.*, 388.
 nobilis, *Druce*, 371.
 numenes, *Hewits.*, 377.
 nyasana, *Butler*, 365.
 odysseus, *Staud.*, 349, 366.
 ogovensis, *Holland*, 372.
 orilus, *Butler*, 357.
 paphianus, *Ward*, 402.
 papuensis, *Butler*, 395.
 parmenion, *Felder*, 396, 397.
 pelias, *Cramer*, 354, 355.
 phæus, *Hewits.*, 360, 361.
 phœbus, *Butler*, 352.
 phraortes, *Doubled.*, 352.
 phrixus, *Röber*, 383.
 pithodoris, *Hewits.*, 375.
 Plateni, *Staud.*, 390.
 pleistoanax, *Felder*, 394.
 —, var. khasianus, *Butler*, 394.
 —, var. khimalara, *Butler*, 394
 395.
 pollux, *Cramer*, 352, 353.
 polyxena, *Cramer*, 392, 393, 394,
 396-398.

- Charaxes porthos, *H. Grose Smith*, 372.
 posidonius, *Leech*, 381.
 princeps, *Butler**, 376.
 protoclea, *Feisth.*, 364.
 psaphon, *Westw.*, 389, 390, 395.
 publius, *Staud.*, 403.
 pyrrhus, *Linn.*, 387.
 pythodorus, *Hewits.*, 375.
 pythodorus, *Kirby*, 375.
 regius, *Auriv.*, 374.
 relatus, *Butler*, 371.
 repetitus, *Butler**, 392.
 rosæ, *Butler*, 360.
 —, var. *alladinis*, *Dewitz*, 360.
 Rothschildi, *Leech*, 380.
 samatha, *Moore*, 383, 384.
 saturnus, *Butler*, 354.
 —, var. *laticinctus*, *Butler*, 354.
 satyrina, *Butler*, var. *menedemus*, *Oberth.*, 381.
 Schreiberi, *Godart*, 386.
 scylax, *Felder*, 397.
 Selousi, *Trimen*, 363.
 sempronius, *Fabr.*, 387, 388.
 —, var. *tyrtæus*, *Felder*, 388.
 serendiba, *Moore*, 390.
 smaragdalis, *Butler*, 375, 376.
 Staudingeri, *Rothsch.*, 349, 389.
 talagugæ, *Holland*, 363.
 tavetensis, *Rothsch.*, 399.
 thibetanus, *Oberth.*, 381.
 thomasius, *Staud.*, 368.
 Thysii, *Capron.*, 364, 374.
 tiridates, *Cramer*, 374, 377, 378.
 —, var. *mixtus*, *Rothsch.*, 377.
 tyrtæus, *Felder*, 388.
 Ussheri, *Butler*, 403, 404.
 varanes, *Cramer*, 348, 365, 370, 400.
 viola, *Butler*, 359, 361.
 violetta, *H. Grose Smith*, 376.
 violinitens, *Crowley*, 402.
 viridicostatus, *Auriv.*, 367, 368.
 Wallacei, *Butler*, 396.
 Watti, *Butler*, 390.
 Whytei, *Butler*, 363, 374.
 xiphares, *Cramer*, 376.
 zelica, *Butler*, 372.
 zephyrus, *Butler*, 356.
 zoippus, *Mabille*, 351.
 zoolina, *Doubled. & Hewits.*, 369, 370.
 Cheironitis orsidis, *Reiche*, 287.
 Cheloninæ, 124.
 Chelonus, *Jurine*, 126.
 meridionalis, *Ashm.**, 126.
 Chernetidæ, 272-278.
 Childonia Cordierii, 268.
 Chilopoda, 297.
 Chirocerus furcatus, *Brullé*, 84.
 Chiropachides, 155.
 Chirosa eurypon, *Hewits.*, 342.
 Chlænius canariensis, *Dej.*, 286.
 seminitidus, *Chaud.*, 286.
 Chrestosema, *Förster*, 68.
 pallidipes, *Ashm.**, 68.
 robusta, *Ashm.**, 68.
 Chromoteleia, *Ashm.*, 216, 224.
 semicyanea, *Ashm.**, 224.
 Chrysidea, *Spinola*, 150.
 aurata, *Ashm.**, 150.
 Chrysididæ, 280, 282.
 Chrysis amethystina, *Fabr.*, 282.
 cyanura, *Förster*, 282.
 Chrysocharis, *Förster*, 174, 175, 177.
 lividiceps, *Ashm.**, 175, 176.
 lividus, *Ashm.**, 175.
 stigmatus, *Ashm.**, 174, 175.
 thoracicus, *Ashm.**, 175, 176.
 Chrysocharodes, *Ashm.**, 177.
 petiolata, *Ashm.**, 177.
 Chrysoglyphe, *Ashm.**, 160.
 albipes, *Ashm.**, 161, 162.
 apicalis, *Ashm.**, 161.
Cimex militaris, *Fabr.*, 284.
 viduatus, *Fabr.*, 283.
 Cirrospilus, *Westw.*, 182.
 Citharinus, 590, 592, 595-598.
 Geoffroyi, 556, 601.
 Cladocera, 2-19.
 Cladoselache, 584, 587.
 Cleonus dealbatus, *Germ.*, 290.
 hieroglyphicus, *Oliv.*, 290.
 Clinocentrus, *Haliday*, 123.
 flaviventris, *Ashm.**, 123.
 Closterocerus, *Westw.*, 176.
 albipes, *Ashm.**, 176, 177.
 auriceps, *Ashm.**, 176, 177.
 leucopus, *Ashm.**, 176, 177.
 Clupea, 590, 595.
 harengus, 557.
 Clupeidæ, 530, 557, 590, 591.
 Cnidoglanis, 590.
 megastoma, 555.
 Coccophagus, *Westw.*, 60, 97.
 Lecanii, *Fitch*, 60, 97.
 Coccosteus, 585, 587.
 Cœlopelta, *Ashm.**, 238.
 mirabilis, *Ashm.**, 238.
 Colastes, *Haliday*, 128.
 Coleoptera obtained by Dr. Anderson's collector during Mr. T. Bent's Expedition to the Hadramaut, South Arabia, by C. J. Gahan, 285-291.
 Collaria morsitans, 298.
 Colubridæ, Opisthoglyphous, 322.
 Compsomeris vestita, *Klug*, 280, 283.
 Comys, *Förster*, 60, 92.
 bicolor, *How.*, 60, 92.
 Conger, 556, 561, 588, 597, 598.

- Conger conger, 545, 601.
 Conorhinus, *Lap.*, 284.
 Copidosoma, *Ratzeb.*, 92.
 diversicornis, *How.*, 92.
 Coptops fusca, *Oliv.*, 291.
 Coregonus, 595, 596.
 pollan, 550, 589.
 Cossus ligniperda, 410.
 Cottidæ, 530, 569, 571, 593, 599.
 Crabro, *Fabr.*, 443.
 alacer, *Bingh.* *, 443.
 femoratus, *Fabr.*, 79.
 tridentatus, *Smith.*, 444.
 (*Rhopalum*) *Brookii*, *Bingh.* *, 444.
 Crasodactylus punctatus, *Guér.*, 286.
 Cremastobæus, *Ashm.* *, 217, 228.
 bicolor, *Ashm.* *, 228.
 niger, *Ashm.* *, 228.
 Cremastus, *Grav.*, 140.
 insularis, *Ashm.* *, 148.
 Cristellaria calcar, 500.
 crepidula, 500.
 Crossopterygida, 587.
 Cryptinæ, 138.
 Cuchia eel, 53.
 Curculionidæ, 290.
 Cybister tripunctatus, *Oliv.*, 286.
 vulneratus, *Klug*, 286.
 Cyclops, 16, 17.
 affinis, *G. O. Sars*, 18.
 magnoctavus, *Cragin*, 17.
 phaleratus, *Koch*, 18.
 prasinus, *Jurine* (= *C. magnoctavus*, *Cragin*), 17.
 signatus, *Koch*, 17.
 tenuicornis, *Claus*, 17.
 Cyclopteridæ, 530, 577, 596.
 Cyclopterus, 595.
 lumpus, 577.
 Cylindrogaster, *Stål*, 523.
 nigriceps, *Kirby*, 523, 524.
 rufescens, *Kirby* *, 524, 529.
 Cynipidæ, Report on the Parasitic, of the Island of St. Vincent (W. H. Ashmead), 61-78.
 Cynipinæ, 78.
 Cynips, *Linn.*, 78.
 armatus, *Cr.*, 78.
 Cynoidea, dentition of, 461-463.
 Cyon, 469.
 rutilans, 454, 469; dentition of, 454, 455, 469, 472.
 Cypria, 2.
 Cyprinidæ, 530, 547, 588, 589.
 Cyprinus, 592, 596, 597.
 carpio, 548, 589.
 Cypris, 2, 3.
 monacha, *Baird*, 5.
 Cyrtogaster, *Walk.*, 60, 155.
 vulgaris, *Walk.*, 60, 155.
 Damon medius, 38.
 Danainæ, 340.
 Danais, 340-347.
 alcippus, *Cram.*, 340, 345, 348.
 chionippe, *Hüb.*, 342, 347.
 chrysippus, *Linn.*, 340, 341, 345, 346, 347, 348.
 dorippus, *Klug*, 340, 341, 345, 346, 348.
 Daphænus, dentition of, 464.
 Daphnia, 2, 3.
 mucronata, *Baird*, 5.
 Schæfferi, *Baird*, 2; occurring in London Docks, 2.
 Decatoma, *Spinola*, 59.
 oretilia, *Walk.*, 59.
 Decatomidea, *Ashm.* *, 147.
 pallidicornis, *Ashm.* *, 147.
Decticus vittatus, *Klug*, 282.
Decticus read *Decticus vittatus*, *Klug*, 282.
 Dentalina aculeata, *D'Orb.*, 319.
 Derostenus, *Westw.*, 173, 175, 177.
 acutus, *Ashm.* *, 173, 174.
 quadrimaculatus, *Ashm.* *, 173.
 rotundus, *Ashm.* *, 173, 174.
 Diachasma, *Förster*, 137.
 pilosipes, *Ashm.* *, 137.
 Diadema, 339.
 Diapria, *Latr.*, 251.
 mellea, *Ashm.* *, 251.
 Diapriinæ, 243, 248.
 Diaptomus, 16.
 Didelphys, dentition of, 456.
 Diglyphosema, *Förster*, 61.
 flavipes, *Ashm.* *, 61.
 Diglyphus, *Thomson*, 167, 168.
 albipes, *Ashm.* *, 167.
 maculipennis, *Ashm.* *, 167.
 Dimeris, *Ruthe*, 123.
 maculipennis, *Ashm.* *, 123.
 Dineutes æreus, *Klug*, 287.
 Dinotus, 155.
 Diodon, 594.
 hystrix, 582, 583, 602.
 Diparides, 156.
 Diplatys, *Serv.*, 523.
 Diplopoda, 298.
 Diplurus, 588.
 longicaudatus, *Newberry*, 588.
 Dipneumones, 42.
 Diptera: Bent's Expedition to the Hadramaut, South Arabia (W. F. Kirby), 280-285.
 Discolia, *Sauss.*, 423.
 Dissomphalus, *Ashm.* *, 192.
 bisulcus, *Ashm.* *, 193, 194.
 confusus, *Ashm.* *, 193, 194.
 politus, *Ashm.* *, 193, 195.
 tuberculatus, *Ashm.* *, 192, 193.

- Distira cyanocincta*, ftnote 420, 421.
Distomum, On a new Species of, by G. S. West, 322-324.
Distomum Barnaldii, *Sonsino*, 323.
 Boscai, *Cobb.*, 322.
 incerta, *Cobb.*, 322.
 nigrovenosum, *Bellingh.*, ftnote 323.
 Philodryadum, *G. S. West* *, 322, 323, 324.
 signatum, *Duj.*, 323.
 variable, *Leidy*, 323.
Dog-fishes (*Scyllium*), egg-cases of, 325.
Dolichurus, *Latr.*, 439.
 bipunctatus, *Bingh.* *, 439.
 taprobana, *Smith*, 439.
Doras, 55.
Doryphora, 411.
 decemlineata, ftnote 411.
Dryininae, 197.
Dytiscidae, 286.
Ectrichodia Andersoni, *Kirby* *, 280, 284.
 gigas, *Herr.-Schäff.*, 284.
Egg-cases of some Port Jackson Sharks, by E. R. Waite, 325-329.
Eiphosoma, *Cresson*, 58.
 annulator, *Cr.*, 58.
Elachistinae, &c. of the Island of St. Vincent (L. O. Howard), 79-108.
Elachistus, *Spin.*, 107.
 albiventris, *Spin.*, 105.
 aureus, *How.* *, 108.
 caudatus, *How.* *, 107.
 scutellatus, *How.* *, 107, 108.
Elasminae, &c. of the Island of St. Vincent, Report on the (L. O. Howard), 56, 79-108.
Elasmobranchii, 530, 533, 584, 585.
Elasmus, *Westw.*, 101.
 flaviventris, *How.* *, 101, 104.
 flavus, *How.* *, 101, 104, 105.
 helvus, *How.* *, 101, 103, 104.
 levifrons, *How.* *, 101, 102, 103, 105.
 maculatus, *How.* *, 101, 103, 104, 105.
 punctatulus, *How.* *, 101, 102.
 punctatus, *How.* *, 101, 105.
 rugosus, *How.* *, 101, 102, 103, 104.
 Smithii, *How.* *, 101, 104.
Encarsia, *Förster*, 97.
 flaviclava, *How.* *, 97.
Encyrtinae, &c. of the Island of St. Vincent, Report on the (L. O. Howard), 56, 60, 79-108.
Encyrtus, *Dalm.*, 60, 86, 93.
Encyrtus argentipes, *How.* *, 93, 95.
 brevicornis, *Dalm.*, 95.
 clavellatus, *Dalm.*, 93.
 coniferæ, *Walk.*, 97.
 crassus, *How.* *, 93.
 cupratus, *Förster*, 97.
 flaviclavus, *How.* *, 93, 96.
 fuscipennis, *Dalm.*, 94.
 hirtus, *How.* *, 93, 95.
 hyettus, *Walk.*, 88, 89.
 inquisitor, *How.* *, 93.
 nitidus, *How.* *, 93, 94.
 quadricolor, *How.* *, 93.
 tiliaris, *Dalm.*, 60, 86, 93, 97.
 uroceras, *Dalm.*, 86.
Enhydriis Hardwickii, ftnote 420.
Entedoninae, 168.
Entomotraca and the Surface-film of Water, by D. J. Scourfield, 1-19.
Epiphragm, Note on the Formation of the, of *Helix aspersa*, by Prof. G. J. Allman, 517-520.
Epyris, *Westw.*, 188.
 incertus, *Ashm.* *, 189.
 insularis, *Ashm.* *, 188, 189.
Eretes helvolus, *Klug*, 286.
 sticticus, *Linm.*, 286.
 succinctus, *Klug*, 286.
Eribæa lampedo, *Hüb.*, 356.
 unedonis, *Hüb.*, 355.
Erinaceus, dentition of, 455.
Erotolepsia, *How.* *, 99.
 compacta, *How.* *, 100.
Erythrinus, 55.
Erythrolamprus, *Günth.*, 419, 421.
 Æsculapii, *Günth.*, 419, 421, 422
 poison-gland of, 419.
Esocidae, 530, 545, 588, 589.
Esox, 546, 590, 592, 596.
 lucius, 545, 589, 601.
Eucharinae, &c. of the Island of St. Vincent, Report on the (L. O. Howard), 56, 59, 79-108.
Eucharis flabellata, *Fabr.*, 84.
 furcata, *Fabr.*, 84.
Eucoila, *Westw.*, 57, 75.
 basalis, *Cr.*, 57, 75.
 carinata, *Cr.*, 77.
 claripennis, *Ashm.* *, 75, 76.
 ovalis, *Ashm.* *, 75, 76.
Eucoilidea, *Ashm.* *, 57, 62.
 canadensis, *Ashm.* *, 57, 62.
Eucoilinae, 57, 61.
Eulepis hamasta, *Moore*, 382.
 Wardii, *Moore*, 404.
Eulophinae, 60, 165.
Eulophus, *Geoff.*, 166.
 auripunctatus, *Ashm.* *, 166.
Eupelminae, 56, 87, 91.
Euplectrus, *Westw.*, 60, 105.

- Euplectrus bicolor*, *Swed.*, 105.
furnius, *Walk.*, 60, 165.
maculiventris, *Westw.*, 105.
- Euplœa*, 341, 342-347.
climena, *Cram.*, 341.
core, *Cram.*, 341, 345.
Hopfferi, 348.
margoensis, *Butler*, 342.
polymena, 342, 348.
pyrgion, 342, 348.
singapura, *Moore*, 342.
Whitnei, *Butler*, 342.
- Eupreprocnemis littoralis*, *Ramb.*, 280, 282.
- Eurycercus*, 2, 3.
- Eurypteridæ*, 39.
- Eurytoma*, *Illiger*, 147, 150.
insularis, *Ashm.**, 147, 148, 149.
maculiventris, *Ashm.**, 148, 149.
peraffinis, *Ashm.**, 147, 148, 149.
- Eurytominae*, 59, 61, 143.
- Eurytomocharis*, *Ashm.**, 151.
minima, *Ashm.**, 151.
- Eusthenopteron Foordi*, *Whiteaves*, 588.
- Evania*, *Fabr.*, 58.
appendigaster, *Linn.*, 58.
- Evaniidæ*, 58.
- Exochus*, *Grav.*, 141.
tegularis, *Ashm.**, 141.
validus, *Cr.*, 141.
- Felidæ*, dentition of, 461.
- Fenestella*, 267, 268.
- Fenestellidæ*, 267.
- Figitinæ*, 58, 78.
- Filistata testacea*, *Latr.*, 296.
- Fins, the Mesial, of Ganoids and Teleosts, by Prof. T. W. Bridge, 530-602.
- Fistulariidæ*, 530, 576, 593.
- Fistulose Polymorphinæ*, on the, and on the Genus *Ramulina*, by T. Rupert Jones and F. Chapman, 496-516.
- Flustra cribriformis*, 267.
- Foraminifera*, On a new Genus of, of the Family *Astrorhizidæ*, by A. Vaughan Jennings, 320-321.
- Forficula ruficeps*, *Erichs.*, 529.
- Forficulidæ*, Description of new Species of, in the Collection of the British Museum, by W. F. Kirby, 520-529.
- Formica barbara*, *Linn.*, 283.
cephalotes, *Linn.*, ftnote 406.
- Formicidæ*, 280, 283.
- Fossorial Hymenoptera*, On some Exotic, in the Collection of the British Museum, with Descriptions of New Species and of a new Genus of the *Pompilidæ*, by Lt.-Col. C. T. Bingham, 422-445.
- Fron dipora verrucosa*, 259, ftnote 262.
- Gadidæ*, 530, 558, 592.
- Gadus*, 592, 595.
æglefinus, 558, 595.
morrhua, 559.
- Gahan, C. J., On the Coleoptera obtained by Dr. Anderson's Collector during Mr. T. Bent's Expedition to the Hadramaut, South Arabia, 285-291.
- Galeodes*, 32, 35, 37-39, 275, 277.
- Galesus*, *Curtis*, 248.
bipunctatus, *Ashm.**, 248.
- Ganaspis*, *Förster*, 66.
apicalis, *Ashm.**, 66, 67.
atriceps, *Ashm.**, 66, 67.
- Ganoids and Teleosts, The Mesial Fins of, by Prof. T. W. Bridge, 530-602.
- Ganychorus*, *Haliday*, 131.
collaris, *Ashm.**, 131.
- Gasteruption*, *Latr.*, 58.
Guildingii, *Westw.*, 58.
rufipectus, *Westw.*, 58.
- Gilson, Prof. G., On Segmentally disposed Thoracic Glands in the Larvæ of the Trichoptera, 407-412.
- , and Sadones, J., The Larval Gills of the Odonata, 413-418.
- Globulina gibba*, *Terquem*, 502, 508, 509, 515.
horrida, *Reuss*, 503, 510, 511.
oviformis, *Searles Wood*, *MS.*, 504, 511.
oviformis, *Terquem*, 505, 508, 513, 515.
transversa, *Terquem*, 501, 508.
tuberculata, ftnote 500.
tubulosa, *d'Orb.*, 509, 510.
virgata, *Searles Wood*, *MS.*, 504, 512.
- Glyphe*, *Walk.*, 162.
punctata, *Ashm.**, 162.
- Gnamptodon*, *Haliday**, 133.
atricaudus, *Ashm.**, 133.
- Goniozus*, *Förster*, 195.
incompletus, *Ashm.**, 195, 196.
nigrifemur, *Ashm.**, 195, 196.
Sancti-Vincenti, *Ashm.**, 195, 196.
- Grammostomum costulatum*, ftnote 500.
laxus, ftnote 500.
turio, ftnote 500.
- Graptoleberis testudinaria*, *Fischer*, 15.
- Gryllus bipunctatus*, 281.
littoralis, *Ramb.*, 282.
subulatus, *Linn.*, 281.
(Locusta) ægyptius, *Linn.*, 281.
- Guttulina damæcornis*, *Reuss*, 501, 508.
gravida, *Terquem*, 502, 509.
problema, *Terquem*, 508.
racemosa, *Terquem*, 505, 512.
- Gymnodontes*, 530, 581, 594.

- Gymnotidæ, 530, 557, 591, 597, 599.
 Gymnotus, 591.
 electricus, 557, 601.
 Gyridæ, 287.
 Gyrius, 14.
 Gyrolasia, Förster, 179.
 bicolor, *Ashm.* *, 179, 180.
 ciliata, *Ashm.* *, 180.
 femorata, *Ashm.* *, 180.
 metallica, *Ashm.* *, 180, 181.
- Habrolepis, 95.
 Dalmanni, *Westw.*, 91.
 Habrolepoidea, *How.* *, 89.
 glauca, *How.* *, 90.
 Hadronotus, Förster, 217, 229.
 bicolor, *Ashm.* *, 229, 231.
 carinatifrons, *Ashm.* *, 229, 230.
 insularis, *Ashm.* *, 229, 230.
 politus, *Ashm.* *, 229, 230.
 Haliphysema, 321.
 Halticella diversicornis, *Walk.*, 81.
 fascicornis, *Walk.*, 81.
 Halticidæ, 291.
 Haridra Adamsoni, *Moore*, 404.
 kahruba, *Moore*, 398.
 Hecabolinæ, 58, 115.
 Heliocopris gigas, *Linn.*, 287.
 Helix aspersa, Note on the Formation of the Epiphragm of, by Prof. G. J. Allman, 517-520.
 Helix hortensis, 517.
 pomatia, 517.
 Hemepepsis read Hemepepsis, 432.
 Hemilexis, Förster, 244.
 latipennis, *Ashm.* *, 244.
 Hemilexodes, *Ashm.*, 244.
 filiformis, *Ashm.* *, 244.
 Hemepepsis, 432.
 prodigiosa, *Gerst.*, 433.
 Hemiptera Heteroptera: Bent's Expedition to the Hadramaut, South Arabia, 280, 283.
 Hemiscorpius lepturus, *Pet.*, 316.
 Hemitrichus, *Thomson*, 157.
 varipes, *Ashm.* *, 157.
 Henicetrus, *Thomson*, 98.
 Heptameris, Förster, 71.
 flavipes, *Ashm.* *, 71.
 rufipes, *Ashm.* *, 71.
 Herbertia, *How.* *, 98, 99.
 lucens, *How.* *, 98.
 Herpetocypris, 2.
 Heterobuthus, 309.
 Heterogamia conspersa, *Brunner*, 281.
 Heteroptera, 283.
 Heterospilus, *Holiday*, 58, 115.
 carbonarius, *Ashm.* *, 115, 117.
 fasciatus, *Ashm.* *, 115, 118.
 ferruginus, *Ashm.* *, 115, 117.
 Heterospilus humeralis, *Ashm.* * 117, 121.
 longicaudus, *Ashm.* *, 116, 119.
 nigrescens, *Ashm.* *, 116, 120.
 pallidipes, *Ashm.* *, 116, 119.
 quæstor, *Ashm.* *, 58, 116.
 variegatus, *Ashm.* *, 117, 120.
 Heterotis Ehrenbergii, 53.
 Hetrodes horridus, *Burm.*, 282.
 Hexacola, Förster, 66, 72, 77.
 modesta, *Ashm.* *, 72, 73.
 Sancti-Vincenti, *Ashm.* *, 72, 73, 74.
 solitaria, *Ashm.* *, 72, 73.
 Hexaplasta, Förster, 77.
 incerta, *Ashm.* *, 77.
 Himatismus villosus, *Haag*, 290.
 Hippocampus guttulatulus, 578.
 Hirdagra fraterna, *Felder*, 342.
 Histeromimus, *Gahan* *, 288.
 arabicus, *Gahan* *, 288.
 Histeromorphus, *Kraatz*, 288.
 plicatus, *Kraatz*, 288.
 Holocentrum, 564, 592, 594, 595, 598.
 spiniferosum, 560, 601.
 Halocephala, 530, 534, 584.
 Homalopoda, *How.* *, 90.
 cristata, *How.* *, 91.
 Hoplocrepis, *Ashm.* *, 60, 165.
 albiclavus, *Ashm.* *, 60, 165.
 Hoploleia, *Ashm.*, 217.
 Howard, L. O., Report on the Chalcididæ of the subfamilies Chalcidinae, Eucharinae, Perilampinae, Encyrtinae, Aphelininae, Pireninae, Elasminae, and Elachistinae, of the Island of St. Vincent, 79-108.
 —, Report upon the Parasitic Hymenoptera of the Island of Vincent, *see* Riley, C. V., 56-254.
 Hydaticus decorus, *Klug*, 286.
 histrion, *Clark*, 286.
 rectangulus, *Sharp*, 286.
 Hydrophiinae, fnote 420.
 Hydrophilidæ, 287.
 Hydrous senegalensis, *Perch.*, 287.
 Hydrus platurus, fnote 420.
 Hymenoptera: Bent's Expedition to the Hadramaut, South Arabia, by W. F. Kirby, 280-282.
 Hymenoptera, Parasitic, of the Island of St. Vincent: Report upon, by C. V. Riley, W. H. Ashmead, and L. O. Howard, 56-254.
 Hymenoptera, On some Exotic Fossorial, in the Collection of the British Museum, with Descriptions of New Species and of a New Genus of the Pompilidæ, by Lt.-Col. C. T. Bingham, 422-445.
 Hypolethria, Förster, 71.

- Hypoethria longicornis*, *Ashm.* *, 71.
Hypolimnas, Mimicry in the Butterflies of the Genus, by Col. Chas. Swinhoe, 339-348.
Hypolimnas anomala, 341.
 bolina, *Linn.*, 339-348.
 dubia, 343, 348.
 marginalis, 343, 348.
 mina read mimia, *Trim.*, 343.
 missippus, *Linn.*, 339-348.
 polymena, 342, 348.
 scopas, 342, 348.
Hypostomos, 55.
- Ichneumonidæ*, Report on the, of the Island of St. Vincent (W. H. Ashmead), 56, 138-143.
Ichthyoxenos, *Herklots*, 337.
Idarnes, *Walk.*, 59.
 carne, *Walk.*, 59.
Idiotype, *Förster*, 243.
 pallida, *Ashm.* *, 243.
Idmonea, 267.
 flabellata, *Kirchenp.*, 267.
 interjuncta, 267.
 Milneana, 267.
Idris, *Förster*, 217, 231.
 ænea, *Ashm.* *, 231.
Inostemma, *Hal.*, 232, 233.
 bicornutus, *Ashm.* *, 232.
 Lintnerii, *Ashm.*, 233.
 simillimus, *Ashm.* *, 232.
- Insects other than Coleoptera obtained by Dr. Anderson's Collector during Mr. T. Bent's Expedition to the Hadramaut, South Arabia, 279-285.
Isamia (*Euplœa*) *singapura*, *Moore*, 342.
Isobrachium, *Förster*, 190, 192.
 albipes, *Ashm.* *, 190, 191.
 collinum, *Ashm.* *, 190.
Isocratus, *Förster*, 59, 170.
 vulgaris, *Walk.*, 59.
- Isopod*, On the Structure of the, Genus *Ourozeuktes*, Milne-Edwards, by A. Vaughan Jennings, 329-338.
Isopods, gills of, 417.
Isosoma, *Walk.*, 149, 151.
 heteromera, *Ashm.* *, 151.
Isosomodes, *Ashm.*, 59.
 gigantea, *Ashm.*, 59.
- Jasia australis*, *Swains.*, 388.
 Jennings, A. Vaughan, On the True Nature of "Möbiusispongia parasitica," *Duncan*, 317-319.
 —, On a new Genus of Foraminifera of the Family *Astrorhizidæ*, 320-321.
 —, On the Structure of the Isopod Genus *Ourozeuktes*, Milne-Edwards, 329-338.
- Jones, T. Rupert, and Chapman, F., On the *Fistulose Polymorphinæ*, and on the Genus *Ramulina*, 496-516.
- Kapala*, *Cameron*, 59, 84.
 furcata, *Fabr.*, 59, 84.
 Kirby, W. F., Descriptions of new Species of *Forficulidæ* in the Collection of the British Museum, 520-529.
 —, Insects other than Coleoptera obtained by Dr. Anderson's Collector during Mr. T. Bent's Expedition to the Hadramaut, South Arabia, 279-285.
Kleidotoma, *Westw.*, 69.
 insularis, *Ashm.* *, 69.
- Labeo*, *Hal.*, 197.
 Sancti-Vincenti, *Ashm.* *, 197.
 simulans, *Ashm.* *, 197, 198.
Labidura, *Leach*, 524, 525.
 sexspinosa, *Dohrn*, 524.
 Walkeri, *Kirby* *, 524, 529.
Labrichthys *trictica*, 576.
Labridæ, 530, 574, 593, 596, 598.
Labyrinthici, epibranchial organ in, mentioned, 53.
Laccotrepes *ruber*, *Linn.*, 280, 284.
Lampronota, *Curtis*, 142.
 albomaculata, *Ashm.* *, 142.
Lapitha, *Ashm.*, 217, 226.
 spinosa, *Ashm.* *, 226.
- Larval Gills of the Odonata, Prof. G. Gilson and J. Sadones on, 413-418.
Lathrodectus *13-guttatus*, *Rossi*, 296.
 Laurie, M., On the Morphology of the *Pedipalpi*, 20-48.
Lecanium hesperidum, *Linn.*, 92, 97.
 quercitronis, *Fitch*, 97.
Leirus *leptochelys*, *Hempr. & Ehrenb.*, 299.
 quinquestriatus, *Hempr. & Ehrenb.*, 299.
- Lelaps*, *Hal.*, 60, 156.
 flavescens, *Ashm.* *, 156.
 pulchricornis, *Hal.*, 60, 156.
Lepidosiren, 52, 54.
 paradoxa, footnote 52.
Lepidosteidæ, 530, 540.
Lepidosteus, 538, 541, 544, 545, 586-596.
 osseus, 540, 601.
Lepralia, 257.
Leptacis, *Förster*, 236.
 erythropus, *Ashm.* *, 236, 237.
 obscuripes, *Ashm.* *, 236.
Leptomastix, *Förster*, 60, 92.
 dactylopii, *How.*, 60, 92.
Leptopilina, *Förster*, 70.
 minuta, *Ashm.* *, 70.
- Libellula*, 413, 417.
 depressa, 413, 414.

- Limnophilus flavicornis*, 408, 409.
Limulus, 33, 37-46, 275, 277, 417.
Liophis, 419.
Liophron, *Nees*, 132.
 minutus, *Ashm.* *, 132.
Liophroninæ, 132.
Liphistius, 42, 46.
Lituolidæ, 321.
Lochites, *Förster*, 153.
 auriceps, *Ashm.* *, 153.
Locusta ægyptius, *Linn.*, 281.
Locustidæ, 280, 281, 282.
Lophobranchii, 530, 578, 594, 597.
Lophocemus, *Hal.*, 165.
Loxostomum vorax, footnote 500.
Loxotropa, *Förster*, 249.
 columbiana, *Ashm.* *, 249.
 thoracica, *Ashm.* *, 249.
Lutodeira chanos, *Hyrthl.*, 53.
Lygæidæ, 280, 284.
Lygæus militaris, *Fabr.*, 280, 284.
Lysiphlebus, *Förster*, 137.
 meridionalis, *Ashm.* *, 137.
Lysitermus, *Förster*, 121.
 fascipennis, *Ashm.* *, 121, 122.
 terminalis, *Ashm.* *, 121.

Macromeris, *Lepel.*, 429, 438.
 argentifrons, *Smith*, 429.
 castanea, *Bingh.* *, 438.
Macroteleia, *Westw.*, 216, 217, 222.
 carinata, *Ashm.* *, 222.
 erythrogaster, *Ashm.* *, 222, 223.
 Sancti-Vincenti, *Ashm.* *, 222, 223.
Marsipella, 321.
Marsipobranchs, 584, 587.
Marsupials, dentition of, 456.
Melittobia, *Westw.*, 182.
Meraporus, *Walk.*, 159.
 nigrocyaneus, *Ashm.* *, 159.
Merluccius, 592.
 vulgaris, 559.
Mesial Fins of Ganoids and Teleosts, by
 Prof. T. W. Bridge, 530-602.
Mesochorus, *Grav.*, 140.
 americanus, *Cr.*, 141.
 annulitarsis, *Ashm.* *, 140.
Mesopron, 592-595, 598.
 gembra, 565, 601, 602.
Mesostena puncticollis, *Sol.*, 289.
Mesostenus, *Grav.*, 138.
 insularis, *Ashm.* *, 138.
Micoconodon read *Micoconodon*, 477.
Microbracon, *Ashm.*, 114.
 pilosithorax, *Ashm.* *, 114.
Microconodon, 474, 477.
Microdus, *Nees*, 58, 129.
 insularis, *Ashm.* *, 130.
 Smithii, *Ashm.* *, 129.
 stigmaterus, *Cr.*, 58.

Microdus uncinatus, *Ashm.* *, 129.
 varipes, *Cr.*, 58.
Microgasterinæ, 56.
Middleton, R. Morton, Jr., on a remarkable
 use of Ants in Asia Minor, 405.
Mimicry in Butterflies of the Genus
 Hypolimnas, by Col. Chas. Swinhoe,
 339-348.
Miotropis, *Thomson*, 106.
 nigricans, *How.* *, 106.
 platynotæ, *How.*, 106.
 versicolor, *How.* *, 106.
Misilus aquatifer, *Montfort*, 514.
Möbiusispongia parasitica, *Duncan*, on
 the True Nature of, by A. Vaughan
 Jennings, 317-319.
Monacanthus, 336, 594.
 granulosus, 580.
 pardalis, 580.
Morpho, 380.
Mugil, 573, 575, 598.
 capito, 572, 595, 602.
Mugilidæ, 530, 569, 572, 593, 595, 598,
 599.
Muræna, 596.
Murænidæ, 530, 545, 588.
Mustelidæ, dentition of, 461.
Mygnumia, 434.
 audax, *Smith*, 434.
 fenestrata, *Smith*, 434.
Myosoma, *Brullé*, 113.
 pilosipes, *Ashm.* *, 113.
Myriopoda and Arachnida: Bent's
 Expedition to the Hadramaut, South
 Arabia, by R. I. Pocock, 297-299.
Myrmicinæ, 283.
Myzine, *Latr.*, 423.
 dimidiata, *Smith*, 423.
 dimidiaticornis, *Bingh.* *, 423.

Nanobuthus, *Pocock* *, 314.
 Andersoni, *Pocock* *, 314.
Nebo flavipes, *Simon*, 295, 316.
Nepa grossa, *Fabr.*, 284, 285.
 rubra, *Linn.*, 284, 285.
Nepidæ, 280, 284.
Neuroptera: Bent's Expedition to the
 Hadramaut, South Arabia (W. F.
 Kirby), 280-282.
Newnhamia, *King*, 5.
Notaspis, *Walk.*, 59, 83.
 formiciformis, *Walk.*, 59, 83.
Notodromas, 5, 11, 12, 15, 16, 17.
 monacha, *O. F. M.*, 5, 10, 12, 13, 19.
Nototrachys, *Marshall*, 139.
 minimus, *Ashm.* *, 139.
 niger, *Ashm.* *, 139.
Nubecularia, 321.
Nymphalis candiope, *Godart*, 367.
 decius, *Lucas*, 404.

- Nymphalis erithalion*, *Westw. & Hewits.*, 362.
etesipe, *Godart*, 399.
etheocles, *Drury*, 399.
Freyi, *Branesik*, 369.
Guderiana, *Dewitz*, 358.
jahlusa, *Trimen*, 371.
mycerina, *Godart*, 372.
nesiope, *Hewits.*, 373.
nitebis, *Hewits.*, 388.
numenes, *Hewits.*, 376.
pyrrhus, *Lucas*, 387.
Schreiberi, *Godart*, 386.
thieste, *Westw.*, 376.
thurius, *Godart*, 376.
zoolina, *Doubl. & Hewits.*, 370.
- Ocnera hispida*, *Forsk.*, 290.
persea, *Baudi*, 290.
- Odonata*, The Larval Gills of the, by Prof. G. Gilson and J. Sadones, 413-418.
- Ceodoma cephalotes*, *Latr.*, fnote 406.
- Cedipoda nebulosa*, *Fisch. de Waldh.*, 281.
- Cestridæ*, 280, 285.
- Cestrus maculatus*, *Wiedem.*, 285.
- Olinx*, *Förster*, 166.
- Omphale*, *Hal.*, 168.
varicolor, *Ashm.**, 168.
- Onitis alexis*, *Klug*, 287.
- Ophiocephalidæ*, 53.
- Ophion*, *Fabr.*, 58.
concolor, *Cr.*, 58.
cubensis, *Nort.*, 58.
flavum, *Fabr.*, 58.
- Ophioninæ*, 58, 139.
- Opiinæ*, 133.
- Opisthacantha*, *Ashm.*, 216, 224.
pallida, *Ashm.**, 225.
polita, *Ashm.**, 224, 225.
- Opisthoglyphous Snakes*, On two little-known, by G. S. West, 419-422.
- Opius*, *Wesm.*, 133.
annulicornis, *Ashm.**, 134, 136.
atriceps, *Ashm.**, 134, 136.
insularis, *Ashm.**, 133, 135.
interstitialis, *Ashm.**, 134, 135.
melanocephalus, *Ashm.**, 133, 134.
rejectus, *Ashm.**, 134, 136.
Salvini, *Ashm.**, 133, 134.
unifasciatus, *Ashm.**, 134, 135.
- Orasema*, *Cameron*, 59, 84.
minutissima, *How.**, 84.
stramineipes, *Cameron*, 59, 85.
- Orgilus*, *Haliday*, 130.
pallidus, *Ashm.**, 130.
- Orthagoriscus*, 594.
mola, 582.
- Orthocentrus*, *Grav.*, 141.
insularis, *Ashm.**, 142.
- Orthocentrus variabilis*, *Ashm.**, 141.
- Orthochirus melanurus*, *Kessler*, 294.
Schneideri, *L. Koch*, 295.
- Orthoptera*: Bent's Expedition to the Hadramaut, South Arabia (W. F. Kirby), 279-281.
- Oryctes boas*, *Fabr.*, 287.
rhinoceros, *Linn.*, 287.
- Osteoglossidæ*, 53, 530, 544, 588.
- Osteoglossum*, 545, 546, 592, 596.
formosum, 544, 601.
- Ostracoda*, 2-19.
- Otocyon*, dentition of, 461-474.
megalotis, 464; dentition of, 464-467.
- Ourozeuktès*, *Milne-Edwards*, On the Structure of the Isopod Genus, by A. Vaughtan Jennings, 329-338.
- Ourozeuktès caudatus*, *Schiödte & Meinert*, 336.
monacanthi, *Schiödte & Meinert*, 336.
Owenii, *Milne-Edw.*, 330, 338.
pyriformis, *Hasw.*, 336.
- Oxycara* sp., 289.
- Pachnoda histrio*, *Fabr.*, 287.
- Pagellus*, 566, 569, 595, 598.
centrodontus, 566.
- Palla*, 348, 370.
publius, *Staud.*, 403.
- Pallosoma cyanea*, *Lep.*, 427.
- Palmicellaria*, 267.
parallelata, 255, 267, 268, 271.
- Pambolina*, 122.
- Pambolus*, *Haliday*, 122.
annulicornis, *Ashm.**, 122.
- Paphagus*, *Walk.*, 59.
sidero, *Walk.*, 59.
- Paphia Schreiberi*, *Horsf.*, 386.
- Papilio amasia*, *Fabr.*, 378.
anticlea, *Drury*, 364.
athamas, *Drury*, 383.
Bernardus, *Fabr.*, 392.
brutus, *Cramer*, 350.
cajus, *Herbst*, 350.
canulus, *Drury*, 352.
castor, *Cramer*, 353.
cenea, *Stoll*, 345.
decius, *Cramer*, 403.
ephyra, *Godart*, 359.
etheocles, *Cramer*, 359.
etheocles, *Drury*, 399.
eudoxus, *Fabr.*, 352.
eupale, *Drury*, 378.
euphanes, *Esper*, 356.
euryalus, *Cramer*, 399.
Fabius, *Fabr.*, 356.
Horatius, *Fabr.*, 364.
jasius, *Fabr.*, 355.
jason, *Linn.*, 355.

- Papilio laodice*, *Drury*, 373.
lucetius, *Cramer*, 366.
lycurgus, *Fabr.*, 373.
marica, *Fabr.*, 377.
merope, 343, 344.
nisus, *Cramer*, 399.
pelias, *Cramer*, 355.
pollux, *Cramer*, 352, 353.
polyxena, *Cramer*, 392.
pyrrhus, *Linn.*, 387.
pyrrhus, *Donov.*, 384.
rhea, *Hübner*, 355.
sempronius, *Fabr.*, 388.
solon, *Fabr.*, 356.
tiridates, *Cramer*, 377.
thyestes, *Stoll*, 376.
varanes, *Cramer*, 400, 401.
xiphares, *Cramer*, 376.
- Parabuthus*, *Pocock*, 309, 311.
brevimanus, *Thorell*, 309.
capensis, *Hempr. & Ehrenb.*, 309.
fulvipes, *Simon*, 309.
granimanus, *Pocock* *, 311, 312, 315.
Hunteri, *Pocock* *, 309, 310, 311, 312.
iros, *C. Koch*, 309.
liosoma, *Hempr. & Ehrenb.*, 295, 309, 310, 311, 312, 315, 316.
pallidus, *Pocock* *, 312.
planicauda, *Pocock*, 309.
segnis, *Thorell*, 309.
villosus, *Peters*, 309, 316.
- Paragenia*, *Bingh.* *, 429.
argentifrons, *Smith*, 429, 445.
- Parallelata vitrea*, 267.
- Paramesius*, *Westw.*, 245.
thoracicus, *Ashm.* *, 245.
- Paraolinx*, *Ashm.* *, 166.
lineatifrons, *Ashm.* *, 166.
- Pedipalpi*, On the Morphology of, by *M. Laurie*, 20-48.
- Pedipalpi*, 296.
- Pentacrita*, *Förster*, 70.
obscuripes, *Ashm.* *, 70.
- Pentastichus*, *Ashm.* *, 187.
xanthopus, *Ashm.* *, 188.
- Pentatoma nigroviolacea*, *Beauv.*, 283.
- Pentatomidæ*, 280, 283.
- Peraspalax*, 477.
- Perca*, 564, 567, 569, 593, 595.
fluviatilis, 564.
- Percidæ*, 530, 564, 592, 593, 598, 599.
- Perilampinæ* &c. of the Island of *St. Vincent*, Report on the (*L. O. Howard*), 56, 79-108.
- Perilampus*, *Latr.*, 85.
politifrons, *How.* *, 85.
- Peripatus*, 410; salivary glands of, 411, 412.
- Petralia*, 255, 260.
- Petralia undata*, 267.
- Peucetia arabica*, *Simon*, 296.
- Phanocarpa*, *Förster*, 137.
pleuralis, *Ashm.* *, 137.
- Phænopria*, *Ashm.*, 253.
simillima, *Ashm.* *, 253.
subclavata, *Ashm.* *, 253, 254.
- Phænotoma*, *Wesm.*, 124.
fuscovaria, *Ashm.* *, 124, 126.
humeralis, *Ashm.* *, 124, 125, 126.
insularis, *Ashm.* *, 124.
meridionalis, *Ashm.* *, 124, 125.
- Phalangidæ*, 21, 38, 39.
- Phalangium*, 34, 44.
- Phanurus*, *Thomson*, 200.
affinis, *Ashm.* *, 200.
ovivorus, *Ashm.*, 201.
- Phasma*, *Oliv.*, 281.
ægyptiacum, *Gray*, 279, 281.
rossia, *Fabr.*, 281.
- Phasmidæ*, 279, 281.
- Pheropsophus africanus*, *Dej.*, var., 286.
- Philanthus*, *Fabr.*, 440.
avidus, *Bingh.* *, 440.
basalis, *Smith*, 441.
concinus, *Bingh.* *, 441.
nigriceps, *Bingh.* *, 441.
ordinarius, *Bingh.* *, 441.
pulcherrimus, *Smith*, 440.
- Philodryas Schottii*, 322.
- Philognoma azota*, *Hewits.*, 365.
falcata, *Butler*, 402.
lichas, *Doubled.*, 401.
rectifascia, *Weymer*, 403.
Ussheri, *Butler*, 404.
violinitens, *Crowley*, 402.
- Phryganea grandis*, 407, 408, 409.
- Phrynichus ceylonicus*, 38.
Deflersi, *Simon*, 296.
Jayakari, *Poc.*, 296.
Phipsoni, 296.
pusillus, 296.
- Phrynus*: On the Spinning-Glands in, with an Account of the so-called "Penis," and of the Morphology of the Operculum, by *H. M. Bernard*, 272-278.
- Phrynus*, 20, 21, 25, 38, 40-48; embryos of, 30.
annulatipes, 48.
reniformis, 31, 48.
- Phyllopods*, 2.
- Physostomi*, 530, 544, 597.
- Picroscythus*, *Thomson*, 157.
nigro-cyaneus, *Ashm.* *, 158.
- Pilulina*, 321.
- Pimelia arabica*, *Klug*, 290.
sp., 290.
- Pimplinæ*, 142.
- Pirates*, *Burm.*, 284.

- Pireninæ, &c., of the Island of St. Vincent, Report on the (L. O. Howard), 56, 79-108.
- Placopsilina, 321.
 bulla, 321.
- Platyrus fasciatus, ftnote 420.
- Platygaster *Lecanii*, Fitch, 97.
- Platygasterinæ, 232.
- Platynota rostrana, *Walk.*, 107.
- Platystoma, 553, 554, 555, 590.
 tigrinum, 550, 601.
- Plectognathi, 530, 578, 594, 597.
- Pleuracanthus, 584, 587.
- Pleuronectes, 592.
 platessa, 559, 601.
- Pleuronectidæ, 530, 559, 592, 597.
- Plocæderus denticornis, *Fabr.*, 291.
 melancholicus, *Gahan*, var., 291.
- Pocock, R. I., On the Arachnida and Myriopoda obtained by Dr. Anderson's collector during Mr. T. Bent's Expedition to the Hadramaut, South Arabia; with a Supplement upon the Scorpions obtained by Dr. Anderson in Egypt and the Eastern Soudan, 292-316.
 —, List of the Scorpions obtained by Colonel Yerbury at Aden in the Spring of 1895, 316.
 —, Supplementary Note upon the Scorpions obtained in Egypt and the Soudan by Dr. John Anderson, 299.
- Podagrion, *Spin.*, 83.
 brasiliensis, *How.* *, 83.
- Pœcilocera, 282.
 vittata, *Klug*, 280, 282.
- Polyclada Benti, *Gahan* *, 291.
- pectinicornis, *Oliv.*, 291.
- Polygnotus, *Förster*, 240.
 gracilicornis, *Ashm.* *, 241, 242.
 insularis, *Ashm.* *, 240, 241, 242.
 laticlavus, *Ashm.* *, 241, 242.
 meridionalis, *Ashm.* *, 240, 241.
 pallidicoxalis, *Ashm.* *, 241, 243.
- Polymecus, *Förster*, 237.
 insularis, *Ashm.* *, 237.
- Polymorpha corcula spinosa, *Soldani*, 508, 511, 513, 514.
 oliviformia, *Soldani*, 512.
 oviformia, *Soldani*, 512.
 pyriformis, *Soldani*, 512.
 subovalia, *Soldani*, 509, 510, 513.
- Polymorphina amygdaloides, *Terquem*, 511.
 angusta, *Egger*, 508, 515, 516.
 —, var. complicata, *Jones & Chapm.* *, 507, 508, 516.
 asparagus, ftnote 500.
 communis, *d'Orb.*, 502, 508-510, 513, 516.
- Polymorphina communis, var. acuplacentata, *Jones & Chapm.* *, 502, 516.
 —, var. horrida, *Reuss*, 502, 503, 516.
 communis, *Parker & Jones*, 507, 512, 513.
 compressa, *d'Orb.*, 507, 514, 516.
 —, var. marginalis, *Jones & Chapm.* *, 507, 516.
 compressa, *Brady*, 514.
 compressa, *Goës*, 509.
 concava, *Williamson*, 498, 507, 514.
 —, var. dentimarginata, *Chapm.*, 507, 514.
 concava, *R. Jones*, 514.
 damæcornis, *Wright*, 501, 509, 511.
 damæcornis, *Reuss*, 501.
 diffusa, 499.
 diluta, *Bornem.*, 502.
 fusiformis, *Roemer*, 503, 510-512, 516.
 —, var. horrida, *Reuss*, 503, 516.
 —, var. racemosa, *Jones & Chapm.* *, 503, 504, 516.
 gibba, *d'Orb.*, 501, 502, 508-516.
 —, var. acuplacentata, *Jones & Chapm.* *, 502, 516.
 —, var. circularis, *Jones & Chapm.* *, 505, 516.
 —, var. complicata, *Jones & Chapm.* *, 507, 508, 516.
 —, var. coronula, *Jones & Chapm.* *, 501, 516.
 —, var. damæcornis, *Reuss*, 501, 516.
 —, var. diffusa, *Jones & Chapm.* *, 505, 516.
 —, var. marginalis, *Jones & Chapm.* *, 506, 516.
 —, var. racemosa, *Jones & Chapm.* *, 503, 504, 516.
 gibba, *Brady*, 513.
 gibba, *Goës*, 514.
 gibba, *Wright*, 514.
 gracilis, *Reuss*, 510.
 gutta, *d'Orb.*, 502, 505, 509, 510, 513, 516.
 —, var. acuplacentata, *Jones & Chapm.* *, 502, 516.
 —, var. diffusa, *Jones & Chapm.* *, 505, 516.
 hirsuta, *d'Orb.*, 503, 516.
 —, var. complicata, *Jones & Chapm.* *, 507, 508, 516.
 —, var. horrida, *Reuss*, 502, 503, 516.
 hirsuta, *Reuss*, 511, 512, 515.
 horrida, *Wright*, 503, 510, 515.
 horrida, *Burrows, Sherborn, & Bailey*, 510.
 Humboldtii, *Bornem.*, 507, 513, 516.

- Polymorphina Humboldtii, var. marginalis, *Jones & Chapm.* *, 506, 516.
 lactea, *Walk. & Jacob*, 502, 511-516.
 —, var. diffusa, *Jones & Chapm.* *, 505, 516.
 —, var. fistulosa, *Williams*, 515.
 —, var. marginalis, *Jones & Chapm.* *, 507, 516.
 —, var. racemosa, *Jones & Chapm.* *, 503, 504, 516.
 —, var. tubulosa, *Parker & Jones*, 507, 512, 513.
 lactea, *Brady*, 502, 510.
 lanceolata, *Reuss*, 503, 510.
 nucleus, ftnote 500.
 Orbignii, *Brady, Parker, & Jones*, 507, 508, 511, 515-516.
 prælonga, *Terquem*, 504, 511.
 prisca, *Berthelin*, 503, 510.
 prisca, *Reuss*, 511.
 problema, *d'Orb.*, 505, 508, 512, 516.
 —, var. circularis, *Jones & Chapm.* *, 505, 516.
 regina, *Brady, Parker, & Jones*, 501, 509, 512, 514, 516.
 —, fistulose form, *Wright*, 509.
 —, var. damæcornis, *Reuss*, 501, 516.
 —, var. marginalis, *Jones & Chapm.* *, 507, 516.
 Roemeri, *Reuss*, 502, 509, 510.
 rotundata, *Bornem.*, 505, 513, 515, 516.
 —, var. complicata, *Bornem.*, 507, 508, 516.
 —, var. diffusa, *Jones & Chapm.* *, 505, 516.
 solidula, *Terquem*, 505, 513.
 sororia, *Reuss*, 510, 515, 516.
 trigonula, *Reuss*, 501, 508, 516.
 —, var. damæcornis, *Reuss*, 501, 516.
 tubulosa, *Jones, Parker, & Brady*, 499, 504, 505, 509, 511, 513, 515, 516.
 turio, ftnote 500.
 virgata, *Searles Wood*, 504, 512, 516.
 —, var. racemosa, *Jones & Chapm.* *, 503, 504, 516.
 (*Guttulina*) damæcornis, *Reuss*, 501, 508.
 Polymorphinæ, On the Fistulose, and on the Genus *Ramulina*, by T. Rupert Jones and F. Chapman, 496-516.
 Polyodon, 536, 538, 585.
 folium, 536, 601.
 Polyodontidæ, 530, 536.
 Polyphaga syriaca, *Sauss.*, 279, 281.
 Polypteridæ, 530, 541.
 Polypterus, 543, 586, 587, 590, 602.
 bichir, 541, 601.
 Pompilidæ, 422.
 Pompilus, *Fabr.*, 429.
 Alicia, *Bingh.* *, 431, 445.
 aureosericeus, *Guér.*, 433, 434.
 bioculatus, *Bingh.* *, 431.
 canifrons, *Smith*, 430.
 Dædalus, *Bingh.* *, 429.
 exortivus, *Smith*, 430, 431.
 infestus, *Bingh.* *, 430.
 perplexus, *Smith*, 430.
 unifasciatus, *Smith*, 430, 431, 434.
 Porcellanea, 321.
 Potorous, dentition of, 459.
 Prionemis, 434.
 gigas, *Taschenb.*, 433, 434.
 Prionodon, 463.
 Prionothea carinata, *Oliv.*, 290.
 Prionurus, 303, 305, 309.
 æneas, *C. Koch*, 309.
 australis, *Linn.*, 305, 306.
 bicolor, *Hempr. & Ehrenb.*, 294, 307, 308, 309.
 citrinus, *Hempr. & Ehrenb.*, 304, 305, 306, 307, 308.
 crassicauda, *Oliv.*, 292, 303, 307, 308, 309.
 funestus, *Hempr. & Ehrenb.*, 303, 304, 305, 309.
 hector, *Koch*, 304, 305, 306, 307.
 libycus, *Hempr. & Ehrenb.*, 304, 305, 306, 307, 308.
 melanophysa, *Ehrenb.*, 304, 305, 306.
 priamus, *Koch*, 305, 306, 307, 308.
 Proctotrypidæ, Report on the, of the Island of St. Vincent (W. H. Ashmead), 56, 188-254.
 Prodaticus pictus, *Sharp*, 286.
 Proroporus verrucosus, ftnote 500.
 Prosacantha, *Nees*, 213.
 brevispina, *Ashm.* *, 213.
 sublineata, *Ashm.* *, 213, 214.
 tibialis, *Ashm.* *, 213, 214.
 Proteleidæ, dentition of, 461.
 Protopterus, 52, 53.
 annectens, ftnote 52.
 Psalis, *Serv.*, 525.
 borneensis, *Kirby* *, 525.
 indica, *Burm.*, 525.
 Psen, *Latr.*, 443.
 pulcherrimus, *Bingh.* *, 443.
 Pseudagenia, *Kohl*, 426, 429.
 artemis, *Bingh.* *, 427, 445.
 clypeata, *Bingh.* *, 427.
 Erigonæ, *Bingh.* *, 426, 445.
 mutabilis, *Smith*, 428.
 novaræ, *Sauss.*, 426.
 rava, *Bingh.* *, 426.
 stulta, *Bingh.* *, 428.
 tincta, *Smith*, 428.
 Pseudoscarus, 575.
 superbus, 574, 602.

- Pseudoscorpions, 37, 39.
 Pteromalinae, 60, 155, 157.
 Pteromalus, *Swed.*, 165.
 rugospunctatus, *Ashm.* *, 165.
 Pterygotus, 37.
 Pulvinaria innumerabilis, *Rathvon*, 97.
 Puntius maculatus, *Bleeker*, 337.
 Pygidicrana, *Serv.*, 522.
 egregia, *Kirby* *, 523, 529.
 forcipata, *Kirby* *, 522
 v-nigra, *Serv.*, 522, 523.
- Ramulina, On the Genus, and on the
 Fistulose Polymorphinae, by T.
 Rupert Jones and F. Chapman, 496-
 516.
 Ramulina, *Wright*, 318, 319.
 globulifera, *Brady*, 319.
 Grimaldii, *Schlumb.*, 319.
 Raphanulina Humboldtii, *Zborzewski*,
 513.
 Reduviidae, 280, 284.
 Regalecus, 591, 594.
 argenteus, 530, 577.
 Retehornera, 267.
 Retepora, and a Fenestrate Bryozoa, On
 Mediterranean and New-Zealand, by
 A. W. Waters, 255-271.
 Retepora, 255, 257, 260.
 aporosa, *Waters*, 260, 261.
 arborea, *Jullien*, 264, 265.
 atlantica, *Busk*, 259, 261, 264.
 aurantiaca, 269.
 avicularis, *MacG.*, 256, 262.
 Beaniana, *King*, 259, 260, 261, 264,
 271.
 cellulosa, *Linn.*, 256, 259, 260, 261,
 263, 266-271.
 —, *forma Beaniana*, var. *medi-*
 terranea, *Smitt*, 263.
 cellulosa, *Smitt*, 269.
 cellulosa, *Van Beneden*, 264.
 cellulosa, *Waters*, 263.
 Colensoi, *Busk MS.*, 270.
 columnifera, *Busk*, 256, 261.
 complanata, *Waters*, 260, 261, 263,
 271.
 contortuplicata, *Busk*, 256, 261.
 Couchii, *Hincks*, 256, 261-263.
 —, var. *aporosa*, *Waters*, 262, 271.
 —, var. *biaviculata*, *Waters*, 262,
 271.
 denticulata, 256.
 deserta, *Waters*, 268.
 elegans, *Reuss*, ftnote 255.
 elongata, *Smitt*, 256, 257, 262, 265,
 278.
 —, *Smitt* (= *R. tenella*, *Ortm.*),
 261.
 escharoides, 257.
 fissa, *MacG.*, 256, 259, 260, 261,
 269, 271.
- Retepora formosa*, *MacG.*, 258, 261.
 gigantea, *Busk*, 256, 269.
 granulata, 257, 269.
 Imperati, *Busk*, 256, 257, 258, 262,
 265, 266, 270, 271.
 Jacksoniensi, *Busk*, 256, 261.
 lata, *Busk*, 262.
 lucida, 260.
 magellensis, *Busk*, 262.
 maorica, *Busk MS.*, 269.
 marsupiata, *Sm.*, 260.
 mediterranea, *Smitt*, 256, 259, 260,
 261, 263, 271.
 monilifera, 256, 258, 261, 269.
 —, *forma munita*, *Hincks*,
 269.
 —, var. *minuta*, *MacG.*, 260,
 271.
 munita, *MacG.*, 261, 269.
 novæ zealandiæ, *Waters*, 262, 270,
 271.
 parallela, *Waters*, 266.
 plana, *Hincks*, ftnote 257.
 porcellana, *MacG.*, 261, 269.
 pratensis (= *R. marsupiata*, *Sm.*),
 260.
 producta, *Busk*, 257, 261.
 reticulata, *Lamk.*, 259, 262.
 sinuosa, *Kirkp.*, 257, 262.
 Solanderia, *Risso*, 256, 257, 258,
 262, 264, 265, 266, 271.
 tenella, *Ortm.*, 265.
 tessellata, *Hincks*, 257, 258, 259,
 262, 271.
 —, var. *cæspitosa*, *Busk*, ftnote
 256, 265, 271.
 tubulata, *Busk*, 256, 261.
 tumescens, *Ortm.*, 265.
 umbonata, *MacG.*, 260, 261.
 victoriensis, *Busk*, 261.
- Reteporella*, *Busk*, 258, 265.
 Solanderia, 258.
 Worsleyi, *MacG.*, 258.
Reticulipora dorsalis, *Waters*, 265.
Rhaphidoscene, *Jennings* *, 321.
 conica, *Jennings* *, 321.
Rhogadinae, 123.
Rhogas, *Nees*, 123.
 pectoralis, *Ashm.* *, 123.
Rhopalum Brookii, *Bingh.* *, 444.
Rhoptromeris, *Förster*, 74.
 insularis, *Förster*, 74.
Rhyssalinae, 127.
Rhyssalus, *Haliday*, 127, 128.
 brunneiventris, *Ashm.* *, 128.
 cænophanoides, *Ashm.* *, 127.
 melleus, *Ashm.* *, 127.
- Riley, C. V., W. H. Ashmead, and L. O.
 Howard, Report upon the Parasitic
 Hymenoptera of the Island of St.
 Vincent, 56-254.
Rileya, *Ashm.*, 61, 143.

- Roptrocerus, *Ratzeb.*, 158.
 auratus, *Ashm.* *, 158.
- Saccobranchus fossilis, On the Aortic-Arch System of, by R. H. Burne, 48-55.
- Saccobranchus singio, 54.
- Sactogaster, *Förster*, 237.
 affinis, *Ashm.* *, 238.
 anomaliventris, *Ashm.*, 238.
 rufipes, *Ashm.* *, 238.
- Sadones, J., and Prof. G. Gilson, The Larval Gills of the Odonata, 413-418.
- Sagrina longirostris, ftnote 500.
- Salius, *Fabr.*, 432.
 anthracinus, *Smith*, 433.
 audax, *Cam.*, 434.
 aureosericeus, *Guér.*, 433.
 Autolytus, *Bingh.* *, 432, 445.
 bellicosus, *Smith*, 433.
 Elizabethæ, *Bingh.*, 433, 434.
 fenestratus, *Smith*, 434.
 funestus, *Cam.*, 434.
 geminus, *Bingh.* *, 436.
 grassator, *Bingh.* *, 436.
 hercules, *Cam.*, 433.
 Juno, *Cam.*, 435.
 Nicevillii, *Bingh.*, 435.
 placidus, *Bingh.* *, 437.
 prodigiosa, *Gerst.*, 433.
 satelles, *Bingh.* *, 433, 437, 445.
 serripes, *Dahlbom*, 436.
 terrenus, *Bingh.* *, 435, 445.
 valentulus, *Bingh.* *, 434.
 venatorius, *Bingh.* *, 437, 445.
 (Hemipepsis) prodigiosa, *Gerst.*, 433.
- Salmo salar, 589.
- Salmonidæ, 530, 550, 588.
- Scapholeberis, 5, 10, 11, 12, 15, 16, 17.
 mucronata, *O. F. M.*, 5, 13, 19.
- Scarabæidæ, 287.
- Scarabæus isidis, *Casteln.*, 287.
- Scelio, *Latr.*, 218.
- Sceliomorpha, *Ashm.*, 218.
- Scelioninæ, 200.
- Schistocerca, 281.
 ægyptia, *Linn.*, 280, 281.
 peregrina, *Oliv.*, 280, 281.
- Schizonotus, 41.
- Schizoretepora, 257.
- Sclerodermi, 530, 578, 594.
- Scolia, *Fabr.*, 423.
 decorata, *Burm.*, 424.
 desidiosa, *Bingh.* *, 424.
 floridula, *Bingh.* *, 425.
 histrionica, *Fabr.*, 424.
 sikkimensis, *Bingh.* *, 423, 425.
- Scolia vestita, *Klug*, 283.
- Scoliidæ, 280, 283.
- Scolopendra Balfouri, *Pocock*, 297, 298.
 deserticola, *Pocock*, 297.
 persica, *Pocock*, 297.
 truncateiceps, *Pocock*, 297.
 valida, *Luc.*, 297.
- Scolopendridæ, 297.
- Scomber, 594, 595, 598.
 scomber, 567, 595.
- Scombridæ, 530, 567, 593, 598.
- Scorpions, Abdominal Appendages and Respiratory Organs in, 40.
 —, Post-oral Thoracic Appendages in, 37-38.
 —, Supplementary Note upon the, obtained in Egypt and the Soudan by Dr. John Anderson, 299.
 —, obtained by Colonel Yerbury at Aden in the Spring of 1895 (R. I. Pocock), 316.
- Scourfield, D. J., Entomostraca and the Surface-film of Water, 1-19.
- Scrupocellaria, 267.
- Scyllium, egg-cases of, 325.
- Selenops ægyptiacus, *Sav.*, 296.
- Sharks, On the Egg-cases of some Port Jackson, by E. R. Waite, 325-329.
- Siluridæ, 530, 550, 590, 591, 597.
- Simocephalus, 2.
- Siphonostoma, 594.
 typhle, 578.
- Slimonia, 36, 276.
- Smicra dorsivittata, *Cam.*, 79.
 femorata, *Fabr.*, 79.
 fulvescens, *Walk.*, 79.
 nigropicta, *Cress.*, 79.
 subpunctata, *Walk.*, 79.
- Snakes, Opisthoglyphous, On two little-known, by G. S. West, 419-422.
- Solenaspis, *Ashm.*, 58, 78.
 bifoveolata, *Cr.*, 58, 78.
 rufipes, *Cr.*, 78.
- Solifugæ, 47.
- Spalangia, *Latr.*, 59.
 drosophilæ, *Ashm.*, 59.
 nigra, *Latr.*, 59.
- Spalangiinæ, 59.
- Sparasion, *Jurine*, 218.
- Sparassus Walckenaerii, *Sav.*, 296.
- Sparatta, *Serv.*, 526.
 apicalis, *Kirby* *, 526, 529.
 Bormansi, *Kirby* *, 528.
 Clarkii, *Kirby* *, 526, 527, 528, 529.
 pelvimetra, *Serv.*, 526, 527.
 —, var. rufina, 528.
 pygidiata, *Kirby* *, 527, 528, 529.

- Sparatta rufina*, *Stål*, 527.
 Schotti, *Dohrn*, 527, 528.
 semirufa, *Kirby**, 528, 529.
Sparidæ, 530, 566, 593, 598, 599.
Spathiina, 58, 114.
 Specific Characters, A R. Wallace on,
 481-496.
Sphæroidina Parisiensis, ftnote 500.
Sphægigastrides, 155.
Sphex punctata, *Fabr.*, 79.
Sphingolabis, *De Bormans*, 529.
 Erichsoni, *Dohrn*, 529.
 subaptera, *Fabr.*, 529.
 variegata, *Kirby*, 529.
Sphingonotus nebulosus, *Fisch.*, 280,
 281.
Sphyræna, 592, 594.
 Commersonii, 569, 602.
Sphyrænidæ, 530, 569, 592, 599.
Spilochalcis, *Thomson*, 59, 79.
 femoratus, *Fabr.*, 59, 79.
 fulvescens, *Walk.*, 59, 79.
 misturatus, *How.**, 80.
 nigritus, *How.**, 79.
 torvina, *Cresson*, 80.
Spilomicrus, *Westw.*, 243, 246.
 aneurus, *Ashm.**, 246.
 vulgaris, *Ashm.**, 246, 247.
 Spinning-Glands in *Phrynus* (H. M.
 Bernard), 272-278.
Spintherus, *Thomson*, 159.
 dubius, *Ashm.**, 159.
Spirostreptus arabs, *Pocock**, 298,
 299.
Spyrathus, 288.
Squamulina, *Schultze*, 321.
 scopula, *Carter*, 321.
Stenomalus, *Thomson*, 60.
 muscarum, *Walk.*, 60.
Stenomesus, *Westw.*, 60, 106.
 platynotæ, *How.*, 60, 106.
Stenophasinus, *Smith*, 58, 114.
 pusillus, *Cr.*, 58.
 terminalis, *Ashm.**, 114.
Sternolophus solieri, *Casteln.*, 287.
Stilbum cyanurum, *Forst.*, 280, 282.
 —, var. *amethystinum*, *Fabr.*,
 280.
Strophoconus acanthopus, ftnote 500.
 Hemprichii, ftnote 500.
 laxus, ftnote 500.
 ovum, ftnote 500.
 spicula, ftnote 500.
 stiliger, ftnote 500.
Stylomerus, 36.
Sudis, 55.
Swinhoe, Col. Ohas., On Mimicry in
 Butterflies of the Genus *Hypolimnas*,
 339-348.
Sympiesis, *Förster*, 166.
Syngnathidæ, 530, 578, 594.
Synopeas, *Förster*, 239.
 dubius, *Ashm.**, 239.
Syntomaspis, *Förster*, 154.
 punctifrons, *Ashm.**, 154.
Syntomosphyrum, *Förster*, 179, 181.
 insularis, *Ashm.**, 181.
Systole, *Walk.*, 146.
 abnormis, *Walk.*, 146.
Tagalina, 521.
Tarantula pumilis, *C. L. Koch*, 38.
 tessellata, *Pocock*, 272, 278.
Technitella, 321.
Teleasini, 213.
Telenomus, *Hal.*, 201.
 confusus, *Ashm.**, 201, 204.
 cubiceps, *Ashm.**, 202, 203, 206.
 difformis, *Ashm.**, 202, 203, 205.
 flavicornis, *Ashm.**, 202, 203, 210.
 flavopictolatus, *Ashm.**, 202, 203,
 207.
 fuscipennis, *Ashm.**, 203, 210.
 impressus, *Ashm.**, 202, 203, 204.
 magniclavus, *Ashm.**, 202, 203,
 205.
 medius, *Ashm.**, 202, 207.
 megacephalus, *Ashm.**, 203, 212.
 meridionalis, *Ashm.**, 202, 208.
 monilicornis, *Ashm.**, 203.
 nigrocoxalis, *Ashm.**, 202, 211.
 pectoralis, *Ashm.**, 203, 206.
 pygmaeus, *Ashm.**, 202, 208.
 Sancti-Vincenti, *Ashm.**, 202, 203,
 211.
 scaber, *Ashm.**, 202, 208.
 Smithii, *Ashm.**, 202, 203, 209.
 Teleosts and Ganoids, The Mesial Fins
 of, by Prof. T. W. Bridge, 530-602.
Temnopterus spinipennis, *Gory*, 287.
Tenebrionidæ, 288.
Tentyria orbiculata, *Fabr.*, var. *glabra*,
Sol.?, 289.
 sp., 289.
Termitidæ, 280, 282.
Testæ incertæ sedis, *Terquem*, 512.
Tetranychus, 275.
Tetrarhapta, *Förster*, 69.
 rufipes, *Ashm.**, 69.
Tetrastichina, 178.
Tetrastichodes, *Ashm.*, 181.
 cupreus, *Ashm.**, 182.
 femoratus, *Ashm.**, 182, 183.
Tetrastichus, *Hal.*, 178, 183, 187.
 acutipennis, *Ashm.**, 184, 186.
 basilaris, *Ashm.**, 184, 186.
 cupreus, *Ashm.**, 183, 184.
 fasciatus, *Ashm.**, 184, 187.
 longicornis, *Ashm.**, 184, 185.
 punctifrons, *Ashm.**, 184, 187.

- Tetrastichus vulgaris*, *Ashm.* *, 183, 185.
Tetrodon, 594.
 immaculatus, 581, 602.
Thelyphonus, Anatomy of (M. Laurie),
 20-37, 41-44, 274-278.
Thoracantha furcata, *Hal.*, 84,
Thripoptera crinita, *Klug*, 290.
Thylacinus, dentition of, 459.
 Tims, Dr. H. W. Marett, On the Tooth-
 genesis in the Canidæ, 445-480.
Tinca tinca, 549.
Tiphia collaris, Coqueb., 283.
 Tooth-genesis in the Canidæ, by Dr. H.
 W. Marett Tims, 445-480.
 Toryminæ, 152.
Torymus, *Dalm.*, 153.
 pallidipes, *Ashm.* *, 153.
 rugosipunctatus, *Ashm.* *, 153.
Toxoneura, *Say*, 132.
 atricornis, *Ashm.* *, 132.
Toxoneurinae, 132.
Trachypteridæ, 530, 577, 593, 594.
Triarthrus, ftnote 277.
Trichacis, *Förster*, 240.
 rubicola, *Ashm.*, 240.
Trichopria, *Ashm.*, 251.
 atriceps, *Ashm.* *, 251, 252, 253.
 insularis, *Ashm.* *, 251, 252.
 pleuralis, *Ashm.* *, 251, 252.
Trichoptera, On Segmentally disposed
 Thoracic Glands in the Larvæ of the,
 by Prof. G. Gilson, 407-412.
Tridyminæ, 154.
Tridymus, *Ratzeb.*, 154.
 solitarius, *Ashm.* *, 154.
Trigla gurnardus, 571, 602.
Trigonia, 325.
Trissolcus, *Ashm.*, 212.
 laticeps, *Ashm.* *, 212.
Tropidonotus natrix, ftnote 323.
Tropidopria, *Ashm.*, 249.
 nigriceps, *Ashm.* *, 249, 250.
 pallida, *Ashm.* *, 249, 250.
 triangularis, *Ashm.* *, 249.
Tropidopsis, *Ashm.*, 245.
 clavata, *Ashm.* *, 245.
Truncatulina lobatula, 320.
 refulgens, *Montf.*, 320.
Tryphoninae, 141.
Tubuli læves, *lucido-candidi*, *ramulosi*,
 etc., *Soldani*, 512.
 Umbrella-ant, 406.
Undina, 588.
 gulo, *Egerton*, 588.
Ursidæ, dentition of, 461, 463.
 Utility, The Problem of: Are Specific
 Characters always or generally Use-
 ful? by A. R. Wallace, 481-496.
Vaginulina obscura, ftnote 500.
 paradoxa, ftnote 500.
Vibraculina, ftnote 267.
 Conti, *Nevisani*, ftnote 267.
Vieta, sp., 290.
Viverrinae, 463, 469.
 Waite, E. R., On the Egg-cases of some
 Port Jackson Sharks, 325-329.
 Wallace, A. R., The Problem of Utility:
 Are Specific Characters always or
 generally Useful?, 481-496.
 Waters, A. W., On Mediterranean and
 New Zealand Reteporæ, and a Fen-
 estrate Bryozoa, 255-271.
Webbina, 321.
 West, G. S., On a new Species of *Disto-*
num, 322-324.
 —, On two little-known Opistho-
 glyphous Snakes, 419-422.
 Whirligig-beetles (*Gyrinus*), 14.
 Yerbury, Colonel, List of Scorpions ob-
 tained at Aden in the Spring of 1895
 by (R. I. Pocock), 316.
Zamenis viridiflavus, *Lacép.*, 323.
Zophosis sp., 288.

END OF THE TWENTY-FIFTH VOLUME.